2011 1127 18 PH 2: 06



MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

The Fe confide must be	ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumence report (CCR) to its customers each year. Depending on the population served by the public water system, this CC mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please.	Answer the Following Questions Regarding the Consumer Confidence Report
ď	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills
	Date customers were informed: 5/11/2011 & 4/27/2011 (Bills)
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed:/ /_
0	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: The News Commercia
·	Date Published: 5/11/2011
	CCR was posted in public places. (Attach list of locations) Office of N. Cov. Water Assoc.
	Date Posted: 5 /17/2011
J	CCR was posted on a publicly accessible internet site at the address: www
	FICATION
onsister	certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is ent of Health, Bureau of Public Water Supply.
Yame/T	itle (Président, Mayor, Owner, etc.)
'	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215
	Phone: 601-576-7518

570 East Woodrow Wilson • Post Office Box 1700 • Jackson, Mississippi 39215-1700

2010 Annual Drinking Water Quality Report North Covington Water Association PWS#: 0160004 & 0160011 May 2011



We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Catahoula Formation & Miocene Series Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the North Covington Water Association have received a moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Jason Butler at 601.797.4347. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the 2nd Tuesday of each month at 7:00 PM in the Spring & Summer and at 6:00 PM in the Fall & Winter at the office located at 411 S. Main Street, Mt. Olive, MS 39119.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2010. In cases where monitoring wasn't required in 2010, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
-------------	------------------	-------------------	-------------------	--	---------------------	------	-----	--------------------------------

10. Barium	N	2008*	.011	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2006/08*	.9	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.135	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2006/08*	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2010	.38	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Disinfection	on By-	Products						
Chlorine	N	2010	1.27	1.1 1.4	ppm	0 MI		Water additive used to control microbes

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium	N	2008*	.0129	No Range	ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.3	0	ppm	1.3	AL=1	
17. Lead	N	2008*	4	0	ppb	0	AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2010	.53	No Range	ppm	10	1	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Disinfection	on By-Pr	oducts						
Chlorine	N 2	2010 1	.17 .7	3 – 1.33	ppm	0 MD		Water additive used to control microbes

^{*} Most recent sample. No sample required for 2010.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The North Covington Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2011 MAY 18 PM 2: 06

Proof of Publication

STATE OF MISSISSIPPI COVINGTON COUNTY

PERSONALLY APPEARED before me, the undersigned authority, in and for said County and State, **Analyn Arrington Goff**, Publisher of **THE NEWS-COMMERCIAL**, a newspaper published in Collins, said County, who being duly sworn, says the publication of a certain notice, a true copy of which is hereto attached, was made in said paper on the hereinafter dates, as follows, to-wit:

Vol. 109	No. <u>43</u>	Dated May 11, 2011
Vol	No	Dated
Vol	No	Dated
Vol	No	Dated
	malyn	A. Syl Publisher
Sworn to and su	ubscribed before	me, this theday of
	James C	of Missis ID No. 72280
Printer's Fee	\$_210.00	1D No. 07 72260 FF
Proof of Publica	ation \$3.00	NOTARY PUBLIC Comm. Expires Dec. 18, 2011
TOTAL	\$	

				1 100				sodkiva which promotes strong teets, discharge from tentions
17. Lead.	N	2006/06*	2		ps/6	è	AL-11	Systems, erosion of nature:
19 Nemte (ex Nitrogen)	N	2016	.38	No Renge	ppm	10		deposits
Disinfectio		**********						
Chorns	N I	2010	127	11 14	pprn	0 16	MAL A	Water eddine used to control
PWS #: 01				TEST R	ESULTS) NCLG	MCL	Likely Squitos of Commington
Contemulant	Vicetori	Date Collected	Leve) Detected	Range of Detects or # c Samples Papereding MCDAGL	Vait Massurement			Contemposition
(norganic	Contam	Collected	Elected	Detects or # c Samples - Exceeding - MGUAGL		TO SECOND		Sey State P Contraction
Inorganic (0. ¢aram	Contam	Collected	Detacto	Detricts or # c Samples Explosing MCDACL		. 2	2	Discharge of differs weaters, discharge from metal references
Inorganic (9 Garem 4 Copper	Contam	Inants 2008	Elected	Detects or # c Samples - Exceeding - MGUAGL	Measurement	2		Decharge of diffire waster, decharge from make retrience, cases of married opposits and approximate opposition of the control of the control opposition opposition of the control opposition opposition of the control opposition oppo
Inorganic (0. ¢aram	Contam	Collected	Detacto	Detricts or # c Samples Explosing MCDACL	Massurement ppm	. 2	2 AL-13 AL-16	Discharge of differs wasters, discharge from meter inframes; erosion of natural degoests. Controlly of the opening plants of the opening opening opening of natural opening op

- destruction single, we simply required by 2010. As you can see to the lable, our yastem had no violations. We're proud that your denking water models or secrets all Federal and State requirements. We have learned thickyp our monitoring and easing that some constituents have been delected towhever the EPA have obtained that your valuer its SAFE at these loves.

has determined that your water is SAFE at flees levids.

We sure required to smoking your defining water for specific constituents on a monthly basis. Results of regular maniparing are an undicated of whether or not our drinking water most beach savingater. We did complete the maniporing requirements for haddenlogical ampliting that showed no collistom present. In an effort to evaluat systems complete all monitoring requirements for haddenlogical ampliting that showed no collistom present, in an effort to evaluat systems complete all monitoring requirements. Mother bow molities, systems of any mosting samples prior to the end of the compliance person complete all monitoring velocities. The primarily from monitoring velocities is primarily from monitoring velocities, the primarily from monitoring velocities, the primarily from manipulation of complete and the velocities of materials used in plumbing comproprist. When responsible for providing high quality defined, but the potential for finded exposure by hability your left for 50 seconds to 2 millides before using water for drinking or cooking. If you are shown that the providing the providing the providing the providing that the providing velocities in manipulation on bead infinitely wells, relaining methods, and cause should be provided to provide a manipulation from the definition of the providing water for the providing water that provided the providing velocities and the provided provided provided provided provided provided the provided provided provided provided provided the provided pr

All sources of dinking mater are autitied to potential contamination by substaines that are instructly occurring or man made. These substaines can be enough, morganic or argains chemicals and radioscribe substainess. All dirighting water, including before spatial may resourcely be expected to contain a least small amounts of some contaminates. The presence of contaminating allows not assessing indicate that the velocity could be a least small amounts of some contamination. The presence of contaminating does not objected by ceiting the Emergranical Projection Agency's Safe Dinking Water Notice at 1-800-426-4791.

Solid popular way to more surrenable to contaminate in distinguished that the general population, immeric compromed passans of the property of

The North Covington Water Association withis arrund the block to provide top equility water to every tap. We say that all suit customers help us protect our water sources, which are the heart of our contributly, our way of the said our distingers future.

One time: May 11, 2011

2019 Annual Orinking Water Quality Report North Covington Viater Association PWS# 0160004 8 0160011 May 2011

We're pleased to present to you this year's Areural Quality Water Report. This report is designed to inform you about the quality water and services we defaul to you every day. Our constant goal is to provide you with a soft and dependable supply of drinking water. We word you to undestand the efforts we make to continuely improve the water treatment proper an an project our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Collegius Permitted. Althouse

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of containteation. The general susceptibility rankings assigned to each well of the system provided immediately before, A report containing delated information on bow the susceptibility determinations were made has been furnished to our public water system and is evaluable to relevant guide upon request. The waits for the Norm Covington Water Association have received a modernia susceptibility ranking to containination.

If you have any quisitions about this report or concerning your water MNty, please continued asson Butter at 801,707,4347. We want our winded customers to be informed about better deley, if you want to fearn more, please attend only of our regularly association meetings. They are held on the grid Tuesday of each month at 7,00 PM in the Spring 6 Sunner and at 8,00 PM in the Fail 6 Venter at the other lates at 11.5. Majo Street, Mt. Olive, MS 39118

the office locafed at 411 S. Main Street, Mt. Olivo, MS 39118

We routhruly reported for constituents in your dinating water according to Federal and State laws. This table below finish all of the dinating water contentinants that we detected during the period of January 1" to December 31", 2010 in Leases where monitoring water frequent in 2010, the buble reflects the most record may be reflected and pick up substances or confundination from the recording discovers of animals or from human activity; relocables contaminants, such as visual dampick up substances or confundination from the presence of animals or from human activity; relocables contaminants, such as visual dampick up substances or confundination from the presence of animals or from human activity; relocables contaminants, such as visual dampick up substances or confundination from the presence of animals or result from urban activity; relocables contaminates, such as visual dampic and the presence of the presence

In this table you will find many terms and abbreviations you might not be familiar with. To help you bottor understand these terms we've provided the following distributions:

Action Level - the concentration of a communical which, if exceeded, program treatment or other requirements which a water system must follow.

Frealment technique (77) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Measure Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCL Gs as feasible using the best available brothered fectinology.

un Contaminant Level Goaf (MCLG) - the "Goat(MCLG) is the level of a contaminant in drawing water below which their or expected risk to heals). MCl Gs allow for a margin of earlety.

Maximum Residual Distributant Lugur (ARIN) — The highest lavel of a distributant allowed in drinking water. There is convincing evidence that addition of a distributant is recessary for positrol microbial contembories.

Maximum Residual Disinfectant Loron Goot (MRDLG) — The level of a dirinking visitor suantectain below which there is no known or appected risk of houlth. MRU, Gs do not reflect the benefits of the use of disinfectants to coming microbial occularisings.

PWS#: 0160004		TEST RI	Fein Te			
Commisses Volston Y/N	Date List Collected Description	1000	Liest Turcio	MCL	Likely Source of Contempation	
		Samples Extending MCL/ACL	January Etg.			1

Inorganic Contaminants

10 Barium (N	2008* 1 011	STATE SECRETARIA	C 100 PRIVATE (SE	S 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A STATE OF THE STA
	2008* 1.011	No Ranga	ppm	2 2	Discharge of drilling wastes:
	1 - 38 K TO 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		Contract Contract		discharge from moral refinances
14. Copper N	2006/05 9	D	eum		arosion of natural deposits
				13 AL=13	Committee of household plumbing
上班 的任金经济,但与初	1 - 400 - 1 - 2 - 2 - 2 - 2 - 2				synthems, entrates of netural deposits, leaching from wood
سترصده منكي سيدسينس	pro- company	+	Carrie and St.	endorse in problem for	Preservations

Deliver payment to:

NORTH COV. WATER ASSOC. P. O. BOX 8 MOUNT OLIVE, MS 39119 601-797-4347

FIRST-CLASS MAIL PRESORTED US POSTAGE PAID ZIP CODE 39119 PERMIT #6

 Previous Balance:
 0.00

 Water
 Used: 9000
 47.50

Prev: 640000 Pres: 649000

PERMIT # 6

Return this portion with payment

Billed: 04/27/11 After 05/15/11 pay 52.25

47.50 is due by 05/15/11

TOTAL NEW CHARGES

47.50

47.50 is due by 05/15/11

60 PRICE LANE

After 05/15/11 pay 52.25 OLLIE M PRICE

SVC:03/15/11-04/15/11 (31 days)

Acct# 00120

NCWA is an Equal Opportunity Service Provider CCR published in News Commercial on 5/15/11

Acct# 00120

60 PRICE LANE

Return Service Requested

OLLIE M PRICE 60 PRICE LANE COLLINS MS 39428